

EVERWOOD DECKING PARTNERS, LTD

Importers, Wholesalers, Retailers of Fine Lumber Products

11004 FM 969
 Austin, Texas 78724
 512-929-7005 Phone
 512-929-7372 Fax

Website: <http://www.ipe-wood.com>
 Email: info@ipe-wood.com

IPÊ Structural Timber Span Values

IPÊ Timber Size	Spacing Between Joists	Live-Load Rating		
		40lbs/sf	50lbs/sf	100lbs/sf
2x6	18"	11'-4"	10'-8"	8'-8"
2x6	24"	9'-11"	9'-4"	7'-7"
2x6	32"	9'-0"	8'-5"	6'-11"
2x8	18"	15'-5"	14'-6"	11'-10"
2x8	24"	13'-6"	12'-8"	10'-4"
2x8	32"	12'-3"	11'-6"	9'-5"
2x10	18"	19'-7"	18'-5"	15'-0"
2x10	24"	17'-1"	16'-1"	13'-2"
2x10	32"	15'-6"	14'-7"	11'-11"
2x12	18"	23'-8"	22'-3"	18'-2"
2x12	24"	20'-8"	19'-6"	15'-11"
2x12	32"	18'-9"	17'-8"	14'-5"

Includes Dead Load of 10lbs/sf

IPÊ Decking Span Values

Nominal Size	40psi	50psi	60psi	100psi
1x4	32"	30"	28"	24"
1x6	38"	34"	32"	28"
5/4x6	42"	38"	36"	32"
2x6	62"	58"	56"	48"

Includes Dead Load of 10lbs/sf